

REMARKS

The amendments set out above and the following remarks are believed responsive to the points raised by the Office Action dated September 24, 2004. In view of the amendments set out above and the following remarks, reconsideration is respectfully requested.

In response to the request by the Examiner, a copy of the article incorporated by reference in the present specification is attached to this response.

No claims have been cancelled and no new claims have been added. Accordingly claims 1-5 remain pending. Claim 3 has been amended to describe the invention more clearly. No new matter has been added, the basis for the amended claim language may be found within the original specification, claims and drawings.

Claims 1-5 were provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5 of copending U.S. Application No. 09/840,444. This rejection is respectfully traversed. According to the Office Action, "thermal" characteristics are a subset of "biomechanical" characteristics. Applicants respectfully disagree.

Thermal functional design is very different from biomechanical design. For example, thermal functional design involves computation of human thermophysiological mechanisms such as heat balance of the body, sweat and temperature regulation, and heat and moisture transfer in clothing and the external environment. In stark contrast, biomechanical design relates to the computation of the anatomical structure of the human body such as the positions of bones, veins, soft tissues, and skin, as well as the biomechanical properties of clothing materials such as modulus, elasticity and compressibility, and mechanical interactions of the body with clothing during wear. Accordingly, thermal characteristics are very different characteristics from biomechanical characteristics and relate to different physiological mechanisms, material properties, and interactions between the body and the clothing materials. Thus, the present claims are patentable over claims 1-5 of the copending US application and the rejection should be withdrawn.

Claims 1-5 were rejected under 35 U.S.C. § 112, first paragraph, as containing subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. According to the Office Action, enablement is lacking for, "computational simulation of the information", as recited in claim 1. Applicants respectfully traverse this rejection.

The description, while brief, clearly enables one of ordinary skill in the art of modeling human/textile interaction to make and/or use the invention. For example, the specification at page 4, lines 1-7, explains that databases representing thermal and physiological characteristics of a human body and thermal characteristics of textile materials, which are known in the art, are supplied to the computer. The specification also explains that advanced computing technologies developed on the basis of advanced mathematical modeling of the thermo-physiology of the human body and heat and moisture transfer of the clothing materials are incorporated by the computer to integrate and process information available from the databases and that computation mathematics using commercially available software packages may be used to match and compute information from thermal databases (see e.g., page 4, line 20-26 and page 5, lines 6-16). A thermal functional evaluation is provided that is compared with data from a Thermal Comfort Knowledge database and an output is provided to create and display a Comprehensive Visualisation (see e.g., page 5, lines 15-21). Accordingly, one of ordinary skill in the art was certainly enabled to practice the claimed invention at the time of the filing of the present patent application, based on the present patent application and knowledge in the relevant arts. Therefore, the enablement rejection should be withdrawn

Claims 1-5 were rejected under 35 U.S.C. § 112, first paragraph, as failing to comply with the written description requirement. According to the Office Action, written description is lacking for, "computational simulation of the information", as recited in claim 1. Applicants respectfully traverse this rejection.

The specification clearly conveys to one skilled in the relevant art that the inventors, at the time the application was filed, had possession of the claimed invention. The specification clearly explains that the computational simulation of information from databases utilizes established computational mathematics. For example, the specification describes that the presently claimed invention uses "established computational mathematics" and "computational mathematics using commercially available [software] packages" to generate and display comprehensive visual images of suitable fabrics and articles of apparel (see e.g., page 5, lines 11-15 and page 6, lines 20-27). One skilled in the relevant art would recognize that the inventors were utilizing established computational mathematics in order to provide computational simulation of information and therefore were in possession of the claimed invention. Accordingly the written description rejection should be withdrawn.

Claims 1-5 were rejected under 35 U.S.C. § 102(e) as anticipated by U.S. Patent Application Publication 2003/0156619A1 to De Monte et al. The rejection is respectfully traversed.

In re Appln. of LI et al.
Application No. 09/840,462

Applicants respectfully point out that the earliest theoretical effective date of DeMonte is its PCT filing date of June 6, 2001. The present application was filed on April 24, 2001, about six weeks earlier than the earliest possible effective date of DeMonte. Accordingly, DeMonte et al. is not prior art and the rejection cannot stand.

In view of the amendment and remarks recited herein, the application is considered in good and proper form for allowance, and the Examiner is respectfully requested to pass this application to issue.

If, in the opinion of the Examiner, a telephone conference would expedite the prosecution of the subject application, the Examiner is invited to call the undersigned attorney.

Respectfully submitted,



Shannon Schemel, Reg. No. 47,926
LEYDIG, VOIT & MAYER
700 Thirteenth Street, N.W., Suite 300
Washington, DC 20005-3960
(202) 737-6770 (telephone)
(202) 737-6776 (facsimile)

Date: December 16, 2004
SDS

Note: Paper1- 1. Li Y., Newton E., Luo X.N. and Luo Z. X., Integrated CAD for clothing functional design, Ergonomics of Protective Clothing, Nokobetef 6 and 1st European Conference for Protective Clothing, Stockholm, May 7-10, 2000, 8-11, ISBN 91-7045-559-7, ISSN 0346-7821

Advanced Computing Technology for Integrated Design of Textiles and Apparel

Y. Li

Institute of Textiles and Clothing, The Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong

1. Clothing Consumption Trends

Extensive consumer research has shown that modern consumers require clothing to not only look good, but also feel good in dynamic wear situations. The comfort and superior functional performance of clothing have been identified as the most important attributes demanded by modern consumers, especially under dynamic wear situations (Figure 1). It has been noted that sports buffs are focusing on functional products and classic style as fashion is now of secondary importance. A recent survey in the US showed that 81% of US consumers signaled comfort as their top choice (Hong Kong TDC, 1999). In China, consumers ranked comfort in the top three most important attributes of apparel product. Therefore, comfort and functional performance have become a major focal point for manufacturers to gain competitive advantages in global apparel markets.

Over years of research, it has been found that clothing comfort consists of three major sensory factors: thermal-moisture comfort, tactile comfort and pressure comfort, as shown in Figure 2. The three sensory factors contribute up to 90% of overall comfort perceptions, and the relative importance of individual factors varies with different wear conditions. For active sportswear, thermal-moisture comfort is the most important factor, followed by tactile comfort and pressure comfort. Thermal-moisture comfort is determined by the heat and moisture transfer behaviour of clothing during dynamic interactions with human body and external environment. Tactile and pressure comfort is related to the mechanical behaviour of clothing during wear. Therefore, heat and moisture transfer and the mechanical behaviour of clothing materials are the two major dimensions in determining the comfort and functional performance of apparel products.




Figure 1 Clothing attribute requirements of modern consumers




Figure 2 Sensory comfort of apparel products

Computer technology has successfully been used in the textile and apparel industries, and CAD techniques are widely used for fashion and textile design. The main purpose behind the utilization of CAD is to increase productivity and flexibility during clothing fashion design process. As modern consumers demand personal comfort, CAD for fashion design alone cannot satisfy the needs of manufacturers to develop functional and comfortable products that can meet the requirements of consumers. However, CAD for clothing functional design has not been developed and applied in fashion industry. One of the major reasons is that the heat and moisture transfer and the mechanical behavior of textiles and clothing are extremely complex. Sound scientific understanding and mathematical simulation of the coupled heat and moisture and fabric mechanical behavior are essential requirements for developing advanced cyber technologies for the integrated design of apparel and textiles.

2. CAD for Fashion Design

Obviously, fashionable outlook of clothing is a major attribute that influences the psychological comfort and satisfaction, as well as the purchase decision of consumers. There are a number of dimensions in fashion design such as colour, texture, pattern, appearance (including drape), style and fit. Colour, texture and pattern are important components of artistic creativity during design processes, which have been enhanced successfully by CAD technology for textile design and directly linked to printing and dyeing processes. Commercial technological packages including software and hardware have been developed and applied successfully in fashion industry. Apparel appearance and drape is more difficult to be simulated and visualized by computing technology alone, as it is determined largely by the mechanical behaviour of clothing materials and its dynamic interaction with the body and external mechanical forces such as air movement. There is some CAD packages providing artificial simulations by computing image manipulations without considering the mechanical behaviour of clothing materials. Extensive research activities have been carried out around the world to develop numerical simulation of the drape effect on basis of fabric mechanics.




Figure 3 3D CAD technology for fashion design




Figure 4 CAD technology for thermal functional design

The effect of style and fit is related to body size and shape, 2D fabric cuttings and 3D wrapping to human body, as well as the mechanical behaviour of clothing materials. To simulate and visualize the 3D effect, we need measuring body size and generate 3D geometric body shape (i.e.

body profiles and virtual manikin), on which 2D fabric cuttings determined by style and fit can be wrapped. By adding on the effects of colour, pattern, texture and drape, designers and/or consumers are able to view the artistic and fashionable effect, as shown in Figure 3. Extensive R&D activities have been in both academic institutions and commercial organizations to develop such technology.

3. CAD for Thermal Functional Design

On the basis of the numerical geometric virtual manikin, a model simulating the thermoregulation of human body (i.e. numerical thermal human model) needs to be developed. The numerical thermal human model will be integrated with the model of heat and moisture transfer in clothing materials and in the external environment to simulate the heat and moisture generation and transfer processes of the body-clothing-environment system as the basis of thermal functional design, as shown in Figure 4.

Using such a numerical simulation system, we are able to investigate the influence of fibers, fabrics, clothing, the physical activities of the body and external environment on the thermal comfort and functional performance, as shown in Table 1. The mathematical models developed and improved by various researchers such as Henry (1939) and Farnworth (1986) to describe the complex coupled heat and moisture transfer in textiles have laid a sound scientific basis to achieve this goal. For instance, Li and Holcombe (1998) interfaced a fabric heat and moisture transfer model with Gagge's two-node thermo-regulatory model of the body to investigate the impact of fiber hygroscopicity on the dynamic thermoregulatory responses of the body during exercise and on protection of the body against rain.

Table 1 Input and Output variables in thermal functional design

Input variables	Output variables
<ul style="list-style-type: none"> Fiber structural and properties, such as fiber diameter, fiber density, moisture sorption isotherm, heat of sorption, and water diffusion coefficient, specific heat; Fabric structural and thermal properties, such as thickness, porosity, tortuosity, thermal conductivity and volumetric thermal capacity; Skin thermal properties: thickness, thermal conductivity, water diffusion coefficient, volumetric thermal capacity; Ambient boundary conditions: temperature, relative humidity and air velocity; Style and fit of apparel products. 	<ul style="list-style-type: none"> profile of temperature in the fabric; profile of moisture content of fibers; profile of moisture in the air of the fabric void space; profile of temperature at the skin surface; the neurophysiological responses of thermal receptors in the skin; Intensity of subjective perception of thermal and moisture sensations.

4. CAD for Mechanical Functional Design

On the basis of the numerical geometric human model, a model simulating the biomechanical behaviour of human body (i.e. numerical mechanical human model) needs to be developed. The numerical mechanical human model will be integrated with the model of fabric mechanics to simulate the dynamic mechanical interactions between the body and clothing. Using such clothed numerical mechanical human model, similar to thermal function design, we are able to study the effect of structural and mechanical properties of fibers, yarns and fabrics, and clothing style and fit on the mechanical comfort and functional performance of apparel products (Figure 5). The extensive research on modeling fabric mechanics in the last century has laid down a sound scientific knowledge foundation to achieve this aim. For example, Zhang and Li et al (1999) studied the

physical mechanisms of woven fabric bagging and developed mathematical simulation of fabric bagging behavior. During bagging, fabrics are exposed to sophisticated multi-dimensional deformation inserted by the contact force from human body parts such as the knees. The understanding of physical mechanisms and modeling methodology of fabric bagging can be applied to simulate the mechanical behavior of garments and mechanical comfort of the wearer by modifying the boundary conditions and specifying different fiber mechanical properties and fabric structural characteristics.




Figure 5 CAD technology for mechanical functional design




Figure 6 Integrated CAD technology for design of functional apparel products

5. Integrated CAD Technology

The fundamental research in modeling and simulating the heat and moisture in textiles and fabric mechanics has established a good foundation to develop advanced computing technology for integrated design, which is able to introduce science into the apparel design process. By integrating the computing technologies for fashion design, thermal functional design and mechanical functional design, we are able to reveal the outlook, the comfort and functional of clothing before it is actually made, as shown in Figure 6. Using the mathematical models with advanced computational techniques, we are able to simulate the dynamic heat and moisture transfer processes from the human body and clothing to the environment, and the dynamic mechanical interaction between the body and clothing. The simulation results can be visualized and characterized to show the dynamic temperature and moisture distribution profiles in human body, clothing and environment and stress distributions in clothing and on the body. Thus, we are able to demonstrate how changes in physical activities, environmental conditions and/or different design of clothing will influence the thermal and mechanical comfort of the wearer. Therefore, on the basis of the scientific mathematical models we can develop integrated computing aided design technologies that are workable as advanced engineering design tool for textile and clothing industry.

Acknowledgement

We would like to thank The Hong Kong Polytechnic University for the funding of this research through the Area of Strategic Development in Apparel Product Development and Marketing.

Reference:

Hong Kong T.D.C. (1999), *German Sporting Goods Market*. International Marketing News, 15(10): p. 3.

- Henry, P. S. H. (1939), *The Diffusion in Absorbing Media*, Proc. Roy. Soc. 171A, 215-241.
- Farnworth, B. (1986), *A Numerical Model of the Combined Diffusion of Heat and Water Vapor Through Clothing*, Textile Res. J. 56, 653-665.
- Li Y. and Holcombe B.V, (1998) Mathematical Simulation of Heat and Mass Transfer in a Human-Clothing-Environment, Text. Res. J., Vol.67 (5), pp389-397
- Zhang, X., Li, Y., Yeung, K.W., Yao, M., *Mathematical Simulation of Fabric Bagging*. Textile Res. J. (accepted for publication), 1999.